

DATUM : 25.04.2023

INVENTURNA ZOSTAVA SKLADU CISLO 00

sklad 00

Firma : HRMEL PAVOL - HDL ELEKTRONIK

Strana c.: 1

| Cislo materialu | Nazov materialu                      | Ok.     | stav MJ | Cena nak. | Hodn.nak.c. |
|-----------------|--------------------------------------|---------|---------|-----------|-------------|
| D513            | Prepojka k LED pas 230V 3528         | 2.000   | ks      | 0.04      | 0.07        |
| F431            | Mikr.supr. PRM 901 1x bezdrot.       | 1.000   | ks      | 25.80     | 25.80       |
| K010            | Kon.LPH 10S pr.na samorez.zas.       | 7.000   | ks      | 0.12      | 0.82        |
| K011            | Kon.LPH 14S pr.na samorez.zas.       | 11.000  | ks      | 0.03      | 0.34        |
| K013            | Kon.LPH 20S pr.na samorez.zas.       | 17.000  | ks      | 0.07      | 1.23        |
| K015            | Kon.LPH 34S pr.na samorez.zas.       | 7.000   | ks      | 0.08      | 0.59        |
| K041            | Kon.kolik NSL 25-3 G priamy          | 337.000 | ks      | 0.01      | 4.28        |
| K042            | Kon.kolik NSL 25-4 G priamy          | 31.000  | ks      | 0.01      | 0.40        |
| K043            | Kon.kolik NSL 25-5 G priamy          | 16.000  | ks      | 0.02      | 0.24        |
| K051            | Kon. NSG 25-3 3kont.                 | 100.000 | ks      | 0.01      | 0.54        |
| K052            | Kon. NSG 25-4 4kont.                 | 7.000   | ks      | 0.01      | 0.04        |
| K053            | Kon. NSG 25-5 5kont.                 | 24.000  | ks      | 0.01      | 0.15        |
| K055            | Kon. NSG 25-8 8kont.                 | 85.000  | ks      | 0.01      | 1.01        |
| K056            | Kontakt k NSG konekt.                | 124.000 | ks      | 0.01      | 0.93        |
| K057            | Kon.dutink. CG2 2kont.               | 30.000  | ks      | 0.05      | 1.42        |
| K063            | Kon.kolik SPL 32                     | 6.000   | ks      | 0.65      | 3.88        |
| K067            | Kon.dutinka BL1/20G                  | 5.000   | ks      | 1.31      | 6.55        |
| K072            | Kon.kolik WWS 36 G priamy            | 6.000   | ks      | 0.07      | 0.43        |
| K074            | Kon.kolik WWS 20 A 90st.             | 12.000  | ks      | 0.15      | 1.85        |
| K081            | Kon.kolik WWD 20 G priamy            | 24.000  | ks      | 0.03      | 0.78        |
| K084            | Kon.kolik WWD 20 A 90st.             | 8.000   | ks      | 0.10      | 0.81        |
| K085            | Kon.kolik WWD 72 A 90st.             | 5.000   | ks      | 0.45      | 2.25        |
| K150            | Spojka LED pasik 8mm                 | 2.000   | ks      | 0.28      | 0.56        |
| K151            | Spojka LED pasik 8mm s kablkom       | 14.000  | ks      | 0.45      | 6.30        |
| K152            | Spojka LED pasik 8mm pravouhla       | 7.000   | ks      | 0.65      | 4.56        |
| K155            | Spojka LED pasik 10mm s kablkom      | 2.000   | ks      | 0.48      | 0.96        |
| K164            | Prichytka LED pas 5050 silikonova    | 3.000   | ks      | 0.04      | 0.11        |
| K253            | Konektor napajací 30A 3pol.kabel MR3 | 6.000   | ks      | 0.49      | 2.94        |
| K255            | Konektor napajací SEM 4 samec        | -10.000 | ks      | 0.25      | -2.49       |
| K256            | Konektor napajací PC SE-LC4 samica   | 7.000   | ks      | 0.05      | 0.35        |
| K257            | Konektor napajací PC SE-LC3          | 43.000  | ks      | 0.05      | 2.15        |
| K361            | Konektor Cannon 9k. DS09L            | 27.000  | ks      | 0.10      | 2.81        |
| K365            | Konektor Cannon 25k. DS25L           | 14.000  | ks      | 0.35      | 4.96        |
| K366            | Konektor Cannon 25k. DMR25M          | 3.000   | ks      | 0.40      | 1.19        |
| K371            | Konektor Cannon 26k.3rad. HD26M      | 2.000   | ks      | 0.27      | 0.55        |
| K381            | Konektor mikrof.3kol.panel           | 3.000   | ks      | 0.27      | 0.82        |
| K383            | Konektor mikrof.5kol.panel           | 15.000  | ks      | 0.29      | 4.39        |
| K384            | Konektor mikrof.6kol.panel           | 9.000   | ks      | 0.31      | 2.81        |
| K385            | Konektor mikrof.7kol.panel           | 11.000  | ks      | 0.42      | 4.59        |
| K386            | Konektor mikrof.8kol.panel           | 1.000   | ks      | 0.29      | 0.29        |
| K388            | Konektor mikrof.2kol.kabel           | 10.000  | ks      | 1.08      | 10.80       |
| K389            | Konektor mikrof.3kol.kabel           | 10.000  | ks      | 1.01      | 10.10       |
| K390            | Konektor mikrof.4kol.kabel           | 11.000  | ks      | 0.71      | 7.81        |
| K391            | Konektor mikrof.5kol.kabel           | 5.000   | ks      | 1.20      | 6.00        |
| K392            | Konektor mikrof.6kol.kabel           | 3.000   | ks      | 0.94      | 2.82        |
| K393            | Konektor mikrof.7kol.kabel           | 9.000   | ks      | 1.11      | 9.99        |
| K430            | Zásuvkový kontakt Mini-Fit Molex     | 442.000 | ks      | 0.05      | 22.01       |
| K432            | Zásuvka Mini-Fit 3kont.Molex         | 36.000  | ks      | 0.11      | 3.96        |
| K434            | Zásuvka Mini-Fit 6kont.Molex         | 11.000  | ks      | 0.04      | 0.40        |
| K435            | Zásuvka Mini-Fit 8kont.Molex         | 10.000  | ks      | 0.14      | 1.44        |
| K437            | Zásuvka Mini-Fit 12kont.Molex        | 2.000   | ks      | 0.10      | 0.19        |
| K442            | Konektor Mini-Fit 3kont.Molex        | 33.000  | ks      | 0.15      | 4.92        |
| K443            | Konektor Mini-Fit 4kont.Molex        | 13.000  | ks      | 0.18      | 2.36        |

Strana c.: 2

| Cislo materialu | Nazov materialu               | Ok.     | stav MJ | Cena nak. | Hodn.nak.c. |
|-----------------|-------------------------------|---------|---------|-----------|-------------|
| K444            | Konektor Mini-Fit 6kont.Molex | 10.000  | ks      | 0.08      | 0.78        |
| K452            | Konektor Superseal 3x         | 8.000   | ks      | 0.28      | 2.22        |
| K453            | Konektor Superseal 4x         | 19.000  | ks      | 0.44      | 8.39        |
| K463            | Zásuvka Superseal 4x          | 20.000  | ks      | 0.33      | 6.56        |
| K470            | Konektorový kontakt Superseal | 63.000  | ks      | 0.11      | 7.13        |
| K471            | Zásuvkový kontakt Superseal   | 55.000  | ks      | 0.11      | 5.97        |
| K485            | Kon.zas. kabel NS39 2kont.    | 140.000 | ks      | 0.01      | 0.71        |
| K486            | Kon.DPS NS39 2kont. 7A/250V   | 9.000   | ks      | 0.08      | 0.69        |
| K487            | Kon.zas. kabel NS39 4kont.    | 107.000 | ks      | 0.01      | 1.21        |
| K551            | Autokon.do zapalovaca         | 7.000   | ks      | 1.43      | 10.01       |
| K590            | Kon.telef.6P4C kab.TZB 401    | -5.000  | ks      | 0.03      | -0.15       |
| K632            | Svork.SH04-3,81               | 4.000   | ks      | 0.38      | 1.51        |
| K634            | Svork.SH06-3,81               | 20.000  | ks      | 0.57      | 11.42       |
| K640            | Kon.lišta PV02-3,81V-P        | 26.000  | ks      | 0.09      | 2.33        |
| K641            | Kon.lišta PV03-3,81V-P        | 15.000  | ks      | 0.11      | 1.65        |
| K650            | Svork.SH02-5,08               | 22.000  | ks      | 0.15      | 3.26        |

|       |                                    |          |     |      |        |
|-------|------------------------------------|----------|-----|------|--------|
| K651  | Svork.SH03-5,08                    | 5.000    | ks  | 0.25 | 1.24   |
| K654  | Svork.SH06-5,08                    | 0.000    | ks  | 0.47 | 0.00   |
| K661  | Svork.SV03-5,08P                   | 9.000    | ks  | 0.31 | 2.83   |
| K662  | Svork.SV04-5,08P                   | 9.000    | ks  | 0.43 | 3.86   |
| K670  | Kon.lišta PV02-5,08P               | 16.000   | ks  | 0.09 | 1.43   |
| K671  | Kon.lišta PV03-5,08P               | 10.000   | ks  | 0.10 | 1.00   |
| K711  | Kon.3pin panel IP68 13A            | 10.000   | ks  | 1.49 | 14.90  |
| K712  | Kon.4pin panel IP68 5A             | 10.000   | ks  | 1.88 | 18.80  |
| K714  | Kon.2pin kabel IP68 13A vonk.zavit | 15.000   | ks  | 2.29 | 34.35  |
| K715  | Kon.3pin kabel IP68 13A vonk.zavit | 8.000    | ks  | 2.13 | 17.04  |
| K716  | Kon.4pin kabel IP68 5A vonk.zavit  | 11.000   | ks  | 2.15 | 23.65  |
| K718  | Kon.2pin kabel IP68 13A vnut.zavit | 8.000    | ks  | 1.68 | 13.44  |
| K719  | Kon.3pin kabel IP68 13A vnut.zavit | 9.000    | ks  | 1.68 | 15.12  |
| K720  | Kon.4pin kabel IP68 5A vnut.zavit  | 15.000   | ks  | 1.80 | 27.00  |
| K781  | Red.HDMI zas./HDMikon.uhl.otoc.    | 4.000    | ks  | 1.17 | 4.68   |
| K783a | Red.HDMI zas./DisplayPort kon.     | 2.000    | ks  | 2.86 | 5.72   |
| K805  | Red.Jack 3,5z/6,3st. plast.        | 3.000    | ks  | 0.16 | 0.48   |
| K810  | Red.Jack 6,3z/3,5st. plast.        | 3.000    | ks  | 0.21 | 0.63   |
| K820  | Red. EURO 5 kol./Jack 3.5m.        | 13.000   | ks  | 0.33 | 4.29   |
| K825a | Red.CINCH kon./CINCH zas.uhlova    | 3.000    | ks  | 0.35 | 1.04   |
| K890  | Svorka autobat.mosadz 2ks(+/-)     | 4.000    | par | 1.58 | 6.33   |
| K892  | Kon.solárny panel samec+samica     | 5.000    | ks  | 1.16 | 5.80   |
| K899a | Bananik CZ zlty                    | 4.000    | ks  | 0.27 | 1.06   |
| ND541 | Kryt Canon GP 09 G                 | 8.000    | ks  | 0.18 | 1.47   |
| ND543 | Kryt Canon GP 15 G                 | 6.000    | ks  | 0.22 | 1.33   |
| ND545 | Kryt Canon GP 25 G                 | 22.000   | ks  | 0.27 | 5.84   |
| OS056 | Kont.kolik WA 45900                | 199.000  | ks  | 0.03 | 5.97   |
| OS057 | Prepojka JUMPER                    | 91.000   | ks  | 0.01 | 0.89   |
| OS066 | Vyvodka PG 9                       | 7.000    | ks  | 0.12 | 0.85   |
| OS067 | Vyvodka PG 7                       | 0.000    | ks  | 0.07 | 0.00   |
| OS068 | Vyvodka PG 11                      | 45.000   | ks  | 0.18 | 8.09   |
| OS070 | Vyvodka gumova                     | 4936.000 | ks  | 0.05 | 246.80 |
| OS073 | Vyvodka KDF10-B 10mm               | 97.000   | ks  | 0.04 | 3.88   |
| OS077 | Vyvodka 5,5x35 VYV55-A             | 13.000   | ks  | 0.12 | 1.62   |
| OS078 | Vyvodka 3x27 VYV30-A               | 0.000    | ks  | 0.15 | 0.00   |
| OS320 | Kabl.spojka 3vodic.10A IP65        | 6.000    | ks  | 2.27 | 13.61  |
| OS810 | Skrutka plast. M3x10 01.43.510     | 90.000   | ks  | 0.03 | 2.39   |
| OS851 | Vrtak 0,8mm                        | 6.000    | ks  | 0.50 | 3.00   |
| OS927 | Cievka na modul SECAM              | 21.000   | ks  | 0.23 | 4.83   |
| RP471 | Izolator zeme IEC-IEC RFT-4        | 3.000    | ks  | 2.27 | 6.81   |
| RP911 | Sirénka 12V MDB3-12                | 3.000    | ks  | 0.49 | 1.48   |
| Z010  | Zas.ECFL 10 pl.kab.samorez.        | 1.000    | ks  | 0.06 | 0.06   |

Strana c.: 3

| Cislo materialu | Nazov materialu                    | Ok.     | stav MJ | Cena nak. | Hodn.nak.c. |
|-----------------|------------------------------------|---------|---------|-----------|-------------|
| Z011            | Zas.ECFL 14 pl.kab.samorez.        | 25.000  | ks      | 0.10      | 2.49        |
| Z015            | Zas.ECFL 26 pl.kab.samorez.        | 23.000  | ks      | 0.11      | 2.57        |
| Z017            | Zas.ECFL 34 pl.kab.samorez.        | -1.000  | ks      | 0.48      | -0.48       |
| Z031            | Zas.SLOT 2x31                      | 2.000   | ks      | 0.66      | 1.32        |
| Z123            | Zas.Jack 6,3st.panel.kov.NEUTRIK   | 4.000   | ks      | 1.30      | 5.20        |
| Z142a           | Zas. CINCH Lumberg biela kab.      | 3.000   | ks      | 0.31      | 0.93        |
| Z171            | Spojka BNC UG 914/U                | 12.000  | ks      | 0.24      | 2.87        |
| Z207            | Zas.DC 2,5x5,5 HEBL 25 panel.      | 41.000  | ks      | 0.19      | 7.59        |
| Z300            | Zas.DIN 5k.panelova                | 203.000 | ks      | 0.05      | 10.15       |
| Z320            | Zas. repro LSB 01                  | 11.000  | ks      | 0.16      | 1.80        |
| Z326            | Zas.4k.kabl.S-VHS DIO-KM04         | 4.000   | ks      | 0.17      | 0.69        |
| Z335            | Zas. BNC panel. UG 1094/U          | 6.000   | ks      | 0.10      | 0.60        |
| Z371            | Zas.3pin panel IP68 13A            | 14.000  | ks      | 1.72      | 24.08       |
| Z372            | Zas.4pin panel IP68 5A             | 16.000  | ks      | 1.78      | 28.48       |
| Z374            | Zas.2pin kabel IP68 13A vonk.zavit | 15.000  | ks      | 2.29      | 34.38       |
| Z375            | Zas.3pin kabel IP68 13A vonk.zavit | 1.000   | ks      | 2.19      | 2.19        |
| Z376            | Zas.4pin kabel IP68 5A vonk.zavit  | 6.000   | ks      | 2.12      | 12.69       |
| Z378            | Zas.2pin kabel IP68 13A vnut.zavit | 11.000  | ks      | 1.80      | 19.80       |
| Z379            | Zas.3pin kabel IP68 13A vnut.zavit | 7.000   | ks      | 1.92      | 13.44       |
| Z380            | Zas.4pin kabel IP68 5A vnut.zavit  | 1.000   | ks      | 1.86      | 1.86        |
| Z414            | Pat.DIL lacna ECLC 06 kol.         | 12.000  | ks      | 0.05      | 0.65        |
| Z420            | Pat.DIL lacna ECLC 14 kol.         | 63.000  | ks      | 0.01      | 0.88        |
| Z421            | Pat.DIL prec. ECPF 14 kol.         | 7.000   | ks      | 0.12      | 0.81        |
| Z425            | Pat.DIL lacna ECLC 16 kol.         | 17.000  | ks      | 0.08      | 1.33        |
| Z426            | Pat.DIL prec. ECPF 16 kol.         | 27.000  | ks      | 0.16      | 4.32        |
| Z430            | Pat.DIL lacna ECLC 18 kol.         | 2.000   | ks      | 0.07      | 0.14        |
| Z431            | Pat.DIL prec. ECPF 18 kol.         | 7.000   | ks      | 0.13      | 0.88        |
| Z436            | Pat.DIL prec. ECPF 20 kol.         | 2.000   | ks      | 0.15      | 0.30        |
| Z440            | Pat.DIL lacna ECLC 24-6 kol.       | 1.000   | ks      | 0.06      | 0.06        |
| Z441            | Pat.DIL prec. ECPF 24-6 kol.       | 10.000  | ks      | 0.37      | 3.70        |
| Z442            | Pat.DIL lacna ECLC 24-3 kol.uzka   | 11.000  | ks      | 0.10      | 1.10        |
| Z444            | Pat.DIL 24 kol. Tesla              | 18.000  | ks      | 0.27      | 4.86        |
| Z445            | Pat.DIL lacna ECLC 28-6 kol.       | 47.000  | ks      | 0.03      | 1.23        |
| Z446            | Pat.DIL prec. ECPF 28 kol.         | 18.000  | ks      | 0.29      | 5.18        |
| Z447            | Pat.DIL prec. ECPF 28 kol.uzka     | 15.000  | ks      | 0.27      | 4.11        |
| Z448            | Pat.DIL lacna ECLC 32 kol.         | 5.000   | ks      | 0.07      | 0.37        |

|      |                                    |        |    |      |       |
|------|------------------------------------|--------|----|------|-------|
| Z449 | Pat.DIL prec. ECPF 32 kol.         | 15.000 | ks | 0.32 | 4.76  |
| Z450 | Pat.DIL lacna ECLC 40 kol.         | 15.000 | ks | 0.03 | 0.50  |
| Z451 | Pat.DIL prec. ECPF 40 kol.         | 5.000  | ks | 0.38 | 1.89  |
| Z470 | Zas.mikrof.2kol.kabl.              | 31.000 | ks | 0.33 | 10.23 |
| Z472 | Zas.mikrof.4kol.kabl.              | 5.000  | ks | 0.32 | 1.60  |
| Z474 | Zas.mikrof.6kol.kabl.              | 10.000 | ks | 0.34 | 3.41  |
| Z476 | Zas.mikrof.8kol.kabl.              | 8.000  | ks | 0.40 | 3.16  |
| Z809 | Red.AR Pioneer ZRS-196             | 1.000  | ks | 1.91 | 1.91  |
| Z811 | Red.AR Pioneer ZRS-116 DEH-P1500   | 3.000  | ks | 1.32 | 3.96  |
| Z832 | Red.AR Panasonic ZRS-130 CQ-RDP123 | 1.000  | ks | 1.30 | 1.30  |
| Z840 | Red.autoant. VW-DIN                | 1.000  | ks | 2.16 | 2.16  |
| Z842 | Red.autoant. FAKRA-ISO             | 5.000  | ks | 1.64 | 8.20  |
| Z850 | Vyh.autoant.DIN ZRS-SA-1           | 4.000  | ks | 1.51 | 6.04  |
| Z851 | Vyh.autoant.ISO ZRS-SA-2           | 4.000  | ks | 2.93 | 11.72 |
| Z852 | Vyh.autoant.VW-ISO-FAKRA           | 2.000  | ks | 3.49 | 6.98  |
| Z860 | Zas.autoradio Mini ISO 6pin zlta   | 19.000 | ks | 0.24 | 4.56  |
| Z862 | Zas.autoradio Mini ISO 8pin modra  | 14.000 | ks | 0.25 | 3.50  |
| Z865 | Kontakt k zasuvke Mini ISO         | 37.000 | ks | 0.08 | 2.89  |
| Z870 | Zas.USB A pl.spoj                  | 10.000 | ks | 0.11 | 1.13  |
| Z873 | Zas.USB B pl.spoj                  | 3.000  | ks | 0.51 | 1.52  |
| Z910 | Zdierka B-72 zelená, žltá          | 3.000  | ks | 0.15 | 0.45  |
| Z930 | Zas. repro 2nas. DK 021            | 7.000  | ks | 0.10 | 0.70  |

Strana c.: 4

| Cislo materialu | Nazov materialu                | Ok.     | stav MJ | Cena nak. | Hodn.nak.c. |
|-----------------|--------------------------------|---------|---------|-----------|-------------|
| Z931            | Zas. repro 2nas. ST-930=DK 031 | 12.000  | ks      | 0.49      | 5.88        |
| Z932            | Zas. repro 2nas. LA-212        | 6.000   | ks      | 0.69      | 4.14        |
| Z933            | Zas. repro 4nas. DK 022        | 1.000   | ks      | 0.20      | 0.20        |
| Z936            | Zas.XLR 189 kabl. strieb.      | 15.000  | ks      | 0.53      | 7.95        |
| Z937            | Zas.XLR Neutrik kabl.          | 0.000   | ks      | 2.69      | 0.00        |
| Z938            | Zas. repro ST-925G plast       | 1.000   | ks      | 1.62      | 1.62        |
| Z950            | Zas.Cannon 9k. DF09LL          | 1.000   | ks      | 0.10      | 0.10        |
| Z951            | Zas.Cannon 9k. DMR09F          | 11.000  | ks      | 0.11      | 1.18        |
| Z954            | Zas.Cannon 15k. DMR15F         | 0.000   | ks      | 1.04      | 0.00        |
| Z957            | Zas.Cannon 37k. DF37LL         | 2.000   | ks      | 0.41      | 0.83        |
| Z961            | Zas.Cannon 26k.3rad. HD26F     | 2.000   | ks      | 0.27      | 0.54        |
| C E L K O M :   |                                | 8789.00 |         | 127.36    | 1059.95     |